


## HP ProLiant DL360 Generation 5 (G5)



HP ProLiant DL360 Generation 5 (G5) WEB server compleet geïnstalleerd Apache / MySQL of MariaDB / Dovecot en Postfix / PHP / ISPconfig / enz. Verdere installatie configuratie in overleg

Waardering Nog niet gewaardeerd

**Prijs**

1-4 Weeks

★★★★★


[Stel een vraag over dit artikel](#)

Fabrikant [HP](#)

Beschrijving

Manufacturer 

### HP ProLiant DL360 Generation 5 (G5)



#### ProLiant DL360 G5

##### Front View:

- 1 Low-profile x8 PCI-Express slot
- 2 Eight PC2-5300 FB-DIMMs (DDR2 667) slots
- 3 Up to two Intel Quad-Core or Dual-Core Xeon™ processors
- 4 Slide-out System Insight Display
- 5 Slimline removable media bay
- 6 Up to six SAS/SATA hot plug drive bays

#### ProLiant DL360 G5 Rear View:

- 1 PCI Express expansion slot 1, low-profile, half-length
- 2 PCI Express expansion slot 2
- 3 Power supply bay 2
- 4 Power supply bay 1
- 5 NIC 2 connector
- 6 NIC 1 connector

7 Removable fans for . easy serviceability	7 Keyboard connector
8 Choice of Smart Array . P400i Controller or Smart Array E200i Controller	8 Mouse connector
9 Redundant Hot Plug . Power Supplies (upgradeable option)	9 Video connector
1 Full length/height x8 PCI-Express Slot . (optional PCI-X)	1 Serial connector
	0
	1 USB connector
	1
	1 USB connector
	2
	.
	1 iLO 2 NIC connector
	3

---

DL360 G5 Core Options

HP ProLiant DL360 G5 Unique Options	Quad-Core Processors	
	Quad-Core Intel® Xeon® Processor X5470 (3.33GHz, 120 Watts, 1333 FSB)	<a href="#">48751</a> <a href="#">1-B21</a>
	Quad-Core Intel® Xeon® Processor X5460 (3.16GHz, 120 Watts, 1333 FSB)	<a href="#">45792</a> <a href="#">9-B21</a>
	Quad-Core Intel® Xeon® Processor X5450 (3.00GHz, 120 Watts, 1333 FSB)	<a href="#">46285</a> <a href="#">8-B21</a>
	Quad-Core Intel® Xeon® Processor E5450 (3.00GHz, 80 Watts, 1333 FSB)	<a href="#">45793</a> <a href="#">1-B21</a>
	Quad-Core Intel® Xeon® Processor E5440 (2.83GHz, 80 Watts, 1333 FSB)	<a href="#">45793</a> <a href="#">3-B21</a>
	Quad-Core Intel® Xeon® Processor E5430 (2.66GHz, 80 Watts, 1333 FSB)	<a href="#">45793</a> <a href="#">5-B21</a>
	Quad-Core Intel® Xeon® Processor L5430 (2.66GHz, 50 Watts, 1333 FSB)	<a href="#">48751</a> <a href="#">3-B21</a>
	Quad-Core Intel® Xeon® Processor E5420 (2.50GHz, 80 Watts, 1333 FSB)	<a href="#">45793</a> <a href="#">7-B21</a>
	Quad-Core Intel® Xeon® Processor L5420 (2.50GHz, 50 Watts, 1333 FSB)	<a href="#">45794</a> <a href="#">3-B21</a>
	Quad-Core Intel® Xeon® Processor E5410 (2.33GHz, 80 Watts, 1333 FSB)	<a href="#">45793</a> <a href="#">9-B21</a>
	Quad-Core Intel® Xeon® Processor L5410 (2.33GHz, 50 Watts, 1333 FSB)	<a href="#">45794</a> <a href="#">5-B21</a>
	Quad-Core Intel® Xeon® Processor E5405 (2.00GHz, 80 Watts, 1333 FSB)	<a href="#">45794</a> <a href="#">1-B21</a>
	Quad-Core Intel® Xeon® Processor E5345 (2.33 GHz, 80 Watts, 1333 FSB)	<a href="#">43595</a> <a href="#">4-B21</a>
	Quad-Core Intel® Xeon® Processor E5335 (2.00 GHz, 80 Watts, 1333 FSB)	<a href="#">43595</a> <a href="#">2-B21</a>
	Quad-Core Intel® Xeon® Processor E5310 (1.60 GHz, 80 Watts, 1066 FSB)	<a href="#">43831</a> <a href="#">4-B21</a>

- Dual-Core Processors
  - Dual-Core Intel® Xeon® ◦
  - Processor X5260 (3.33 GHz, 80 Watts, 1333 FSB) [45794](#) [9-B21](#)
  - Dual-Core Intel® Xeon® ◦
  - Processor L5240 (3.00 GHz, 40 Watts, 1333 FSB) [45794](#) [7-B21](#)
  - Dual-Core Intel® Xeon® ◦
  - Processor E5205 (1.86 GHz, 50 Watts, 1066 FSB) [46049](#) [7-B21](#)
  - PCI-X Riser option ◦
  - NOTE:** To convert full-length PCI-Express slot to PCI-X slot. [40515](#) [4-B21](#)
- 

- Memory 1 GB FBD PC2-5300 2 x 512 MB Single Rank Kit ◦ [39740](#) [9-B21](#)
  - 2 GB FBD PC2-5300 2 x 1 GB Dual Rank Kit ◦ [39741](#) [1-B21](#)
  - 2 GB FBD PC2-5300 2 x 1 GB Low Power Single Rank Kit ◦ [46182](#) [6-B21](#)
  - 4 GB FBD PC2-5300 2 x 2 GB Dual Rank Kit ◦ [39741](#) [3-B21](#)
  - 4 GB FBD PC2-5300 2 x 2 GB Low Power Dual Rank Kit ◦ [46182](#) [8-B21](#)
  - 8 GB FBD PC2-5300 2 x 4 GB Dual Rank Kit ◦ [39741](#) [5-B21](#)
  - 8 GB FBD PC2-5300 2 x 4 GB Low Power Dual Rank Kit ◦ [46644](#) [0-B21](#)
  - 16 GB FBD PC2-5300 2 x 8 GB Dual Rank Kit ◦ [41301](#) [5-B21](#)
  - 64 GB FBD PC2-5300 8 x 8 GB Dual Rank Kit ◦ [49560](#) [4-B21](#)
  - NOTE:** Memory Option Kits described as LP include Low Power DIMMs. For more information on ProLiant Energy Efficient Features, please visit: <http://h18004.www1.hp.com/products/servers/platforms/energyefficient/>
- 

- Diskette Drive Slimline Ejectable Floppy drive ◦ [39016](#) [4-B21](#)
- 

- Optical Drives Slimline CD-RW/DVD-ROM Combo Option Kit ◦ [33190](#) [3-B21](#)
  - Slimline DVD-ROM Drive (8X/24X) Option Kit ◦ [26400](#) [7-B21](#)
  - HP DVD±R/RW 8X Slim ◦ [38397](#) [5-B21](#)
  - Slimline CD-ROM Drive 24X ◦ [35696](#) [3-B21](#)
-

Hard Drives **NOTE:** The components of a storage subsystem (e.g. the drive, the HBA/controller, firmware, and the server backplane) should operate at the same data transfer rate or the system bandwidth will be negotiated down to an acceptable level for all components.

**NOTE:** Hard drives have either a one year or three year warranty; refer to the specific hard drive QuickSpecs for details.

SAS Hot Plug SFF Enterprise (ENT) Drives

HP 900GB 6G SAS 10K SFF DP <sup>®</sup>

ENT HDD [61929](#)

[1-B21](#)

HP 600GB 6G SAS 10K SFF DP  
ENT

#### Beoordelingen

Er zijn geen nog geen recensies voor dit artikel.